



US00D915522S

(12) **United States Design Patent**
Rees et al.

(10) **Patent No.: US D915,522 S**

(45) **Date of Patent: ** Apr. 6, 2021**

(54) **GAME BOARD AND GAME PIECES**

(71) Applicant: **SMART N.V.**, Kontich (BE)

(72) Inventors: **Leighton Rees**, Cirencester (GB); **Raf Peeters**, Lier (BE)

(**) Term: **15 Years**

(21) Appl. No.: **29/719,019**

(22) Filed: **Dec. 31, 2019**

(51) **LOC (13) Cl.** **21-01**

(52) **U.S. Cl.**

USPC **D21/360**; D21/361; D21/350; D21/334

(58) **Field of Classification Search**

USPC D21/334, 335–342, 355–359, 365, 318,
D21/397, 351, 385, 386, 389, 404, 478,
D21/479, 483–486, 489–491, 493, 494,
D21/497, 499, 507, 510, 511, 561;
273/241, 242, 244–247, 259, 271–281,
273/282.1–282.3, 284–287, 317.3, 108.1,
273/108.5, 118 D, 236–240, 283, 309,
273/441, 461, 288–290, 153 R, 156,
273/153 S; D6/406.1, 406.3, 406.4,
D6/406.6; D19/86, 92, 95, 87, 113, 75,
D19/77, 78, 80, 60, 59, 64, 63; 108/14,
108/62, 43, 67; 434/81, 82, 96, 128, 365,
434/393, 403, 428, 429, 433, 416, 247,
434/248, 251, 408, 413, 145, 430;
446/82–84, 85, 97, 99, 101, 102, 118,
446/124, 268, 330, 476, 491, 901

CPC A63F 3/00; A63F 3/00003; A63F 3/00028;
A63F 3/00041; A63F 3/00044; A63F
3/00047; A63F 3/00173; A63F 3/00176;
A63F 3/00214; A63F 3/00261; A63F
3/00643; A63F 3/00646–00659; A63F
3/04; A63F 3/00097; A63F 3/0434; A63F
3/00148; A63F 3/00697; A63F 3/0023;
A63F 3/00895; A63F 3/00574; A63F
3/00694; A63F 2003/00182; A63F
2003/00223; A63F 2003/00457; A63F
2003/0046; A63F 2003/00463; A63F
2003/00466; A63F 2003/0047; A63F

2003/00485; A63F 2003/00492; A63F
2003/00507; A63F 2003/00514; A63F
2003/00533; A63F 2003/00552; A63F
2003/00558; A63F 2003/00943; A63F
2003/00946; A63F 2003/00952–00962;
A63F 2003/00974; A63F 7/00; A63F
7/06; A63F 7/0612; A63F 7/0604; A63F
7/0616–0636; A63F 7/30; A63F 7/36;
A63F 7/0005; A63F 7/0017; A63F
7/0023; A63F 2007/0035; A63F
2007/367; A63F 2007/3674; A63F 9/00;
A63F 9/08; A63F 9/001; A63F 9/0826;
A63F 9/0073; A63F 9/0078; A63F
9/0602; A63F 9/0613; A63F 9/12–1208;
A63F 9/1288; A63F 2009/0012; A63F
2009/1212–1228; A63F 2009/1292; A63F
2009/1296


See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

873,031 A * 12/1907 Doan et al. A63F 3/00574
273/282.1
D46,256 S * 8/1914 Lahiere D21/564
1,221,493 A * 4/1917 Whitaker A63F 3/00697
273/282.1
1,343,984 A * 6/1920 Ramsey A63F 3/027
273/282.1
3,170,697 A * 2/1965 Banks A63F 3/065
273/282.1
3,345,071 A * 10/1967 Nekton A63F 3/022
273/282.1
3,531,122 A * 9/1970 Peebles A63F 3/00697
273/282.1
3,588,112 A * 6/1971 Holt A63F 3/00574
273/282.1
3,589,060 A * 6/1971 Genin A63H 13/20
446/246
3,698,122 A * 10/1972 Adams A63F 9/10
446/118
3,751,827 A * 8/1973 Gaskin G09B 23/40
434/152
3,751,849 A * 8/1973 Goldfarb A63H 13/04
446/246
3,754,759 A * 8/1973 Breslow A63F 9/30
273/440



3,823,944	A *	7/1974	Stubbmann	A63F 3/0695	D754,803	S *	4/2016	Jaensch	D21/621
				273/281	D755,311	S *	5/2016	Jaensch	D21/649
4,067,576	A *	1/1978	Balas	A63F 7/0076	D773,557	S *	12/2016	Huang	D19/59
				273/120 R	D894,291	S *	8/2020	Poulus	D21/478
4,136,883	A *	1/1979	Klees	A63F 3/00261	2016/0067619	A1 *	3/2016	Botterill	A63H 33/04
				273/281					446/99
D252,953	S *	9/1979	Pagani	D21/338					
4,175,742	A *	11/1979	Todokoro	A63F 9/30					
				273/447					
4,224,761	A *	9/1980	Wakimura	A63F 9/305					
				273/237					
4,228,615	A *	10/1980	Melotti	A63H 3/16					
				446/99					
4,229,003	A *	10/1980	Shimizu	A63F 9/34					
				273/448					
4,234,181	A *	11/1980	Breslow	A63F 9/30					
				273/440					
D264,857	S *	6/1982	Aitkens	D21/338					
4,418,908	A *	12/1983	Kinberg	A63F 9/0079					
				273/108					
D272,253	S *	1/1984	Du Plessis	D21/338					
4,504,243	A *	3/1985	Barlow	A63F 3/00634					
				446/444					
4,512,584	A *	4/1985	Propsom	A63F 3/00574					
				273/282.1					
4,524,967	A *	6/1985	Hanson	A63F 9/30					
				273/273					
4,551,103	A *	11/1985	Vitale	A63F 3/00063					
				434/225					
4,685,884	A *	8/1987	Rohan	G09B 25/06					
				273/157 R					
D299,499	S *	1/1989	Gould	D21/478					
D300,441	S *	3/1989	Ryland	D21/609					
4,838,553	A *	6/1989	Chaun-Tien	A63F 9/305					
				273/447					
5,219,170	A *	6/1993	Ledford	A63F 3/00574					
				273/248					
D339,390	S *	9/1993	Lammertink	D21/478					
D347,662	S *	6/1994	Johnson	D21/351					
D349,530	S *	8/1994	Pedersen	D21/615					
D349,538	S *	8/1994	Pedersen	D21/615					
5,427,379	A *	6/1995	Lee	A63F 3/00634					
				273/264					
D367,502	S *	2/1996	Armendariz	D21/478					
D371,578	S *	7/1996	Henderson	D21/338					
5,558,336	A *	9/1996	Sapello	A63F 3/00634					
				273/281					
D379,387	S *	5/1997	Stephensen	D21/654					
5,702,108	A *	12/1997	Todokoro	A63F 9/30					
				273/120 R					
D389,872	S *	1/1998	Rhea	D21/360					
D390,279	S *	2/1998	Foster	D21/360					
D395,468	S *	6/1998	Wagner	D21/478					
5,827,105	A *	10/1998	Felgenhauer	A63H 19/36					
				446/120					
D400,936	S *	11/1998	Wagner	D21/478					
D405,128	S *	2/1999	Vallier	D21/350					
6,345,822	B1 *	2/2002	Reynolds	A63F 3/00261					
				273/281					
D456,468	S *	4/2002	Roker	D21/654					
6,551,164	B1 *	4/2003	Motosko	A63G 1/30					
				280/1.13					
D491,234	S *	6/2004	Rom	D21/478					
D501,231	S *	1/2005	Rom	D21/478					
D517,619	S *	3/2006	Saruhashi	D21/576					
D535,337	S *	1/2007	Liu	D21/300					
D535,704	S *	1/2007	Chow	D21/300					
D539,359	S *	3/2007	Rom	D21/478					
D586,230	S *	2/2009	Pierre	D21/655					
D660,371	S *	5/2012	Fuchs	D21/338					
D667,506	S *	9/2012	Peeters	D21/478					
D698,094	S *	1/2014	Paculdo	D30/121					
8,870,185	B2 *	10/2014	Cheng	A63F 3/00574					
				273/281					
8,998,670	B1 *	4/2015	De Leon	A63H 3/46					
				446/97					
D753,242	S *	4/2016	Jaensch	D21/626					

* cited by examiner

Primary Examiner — Susan Moon Lee
(74) Attorney, Agent, or Firm — Hodgson Russ LLP

(57) CLAIM

The ornamental design for a game board and game pieces, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a game board and game pieces in accordance with the present design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a front side elevation view thereof;
FIG. 5 is a rear side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a top perspective view of the game board component shown separately from the game pieces for clarity of illustration;
FIG. 9 is a right side elevation view thereof;
FIG. 10 is a left side elevation view thereof;
FIG. 11 is a front side elevation view thereof;
FIG. 12 is a rear side elevation view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a bottom plan view thereof;
FIG. 15 is a top perspective view of game piece components in a first arrangement, shown separately for clarity of illustration;
FIG. 16 is a right side elevation view thereof;
FIG. 17 is a left side elevation view thereof;
FIG. 18 is a front side elevation view thereof;
FIG. 19 is a rear side elevation view thereof;
FIG. 20 is a top plan view thereof;
FIG. 21 is a bottom plan view thereof;
FIG. 22 is a top perspective view of game piece components in a second arrangement, shown separately for clarity of illustration;
FIG. 23 is a right side elevation view thereof;
FIG. 24 is a left side elevation view thereof;
FIG. 25 is a front side elevation view thereof;
FIG. 26 is a rear side elevation view thereof;
FIG. 27 is a top plan view thereof;
FIG. 28 is a bottom plan view thereof;
FIG. 29 is a top perspective view of a game piece component, shown separately for clarity of illustration;
FIG. 30 is a right side elevation view thereof;
FIG. 31 is a left side elevation view thereof;
FIG. 32 is a front side elevation view thereof;
FIG. 33 is a rear side elevation view thereof;
FIG. 34 is a top plan view thereof;
FIG. 35 is a bottom plan view thereof;
FIG. 36 is a top perspective view of a game piece, shown separately for clarity of illustration;
FIG. 37 is a right side elevation view thereof;
FIG. 38 is a left side elevation view thereof;
FIG. 39 is a front side elevation view thereof;

FIG. 40 is a rear side elevation view thereof;
FIG. 41 is a top plan view thereof;
FIG. 42 is a bottom plan view thereof;
FIG. 43 is a top perspective view of a game piece, shown separately for clarity of illustration;
FIG. 44 is a right side elevation view thereof;
FIG. 45 is a left side elevation view thereof;
FIG. 46 is a front side elevation view thereof;
FIG. 47 is a rear side elevation view thereof;
FIG. 48 is a top plan view thereof;
FIG. 49 is a bottom plan view thereof;
FIG. 50 is a top perspective view of a game piece component, shown separately for clarity of illustration;
FIG. 51 is a right side elevation view thereof;
FIG. 52 is a left side elevation view thereof;
FIG. 53 is a front side elevation view thereof;
FIG. 54 is a rear side elevation view thereof;
FIG. 55 is a top plan view thereof;
FIG. 56 is a bottom plan view thereof;
FIG. 57 is a top perspective view of a game piece, shown separately for clarity of illustration;
FIG. 58 is a right side elevation view thereof;
FIG. 59 is a left side elevation view thereof;
FIG. 60 is a front side elevation view thereof;
FIG. 61 is a rear side elevation view thereof;
FIG. 62 is a top plan view thereof; and,
FIG. 63 is a bottom plan view thereof.

1 Claim, 44 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35



FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63